

VKK Distribution Boxes



Distribution Boxes in sizes 2, 4,8 and 12

Corning VKK Distribution Boxes for 10 or 20 pairs are plastic cabinets for surface mounting indoors. They are used mainly for the installation of DIN-Rails in dry-room environments. The boxes are made from thermoplastic ABS-Plastic and are very robust and shockproof. On all sides of the cover and the base plate are pre-stampings for cable entry and cable exits. Each box is delivered with screws for mounting of the components. The maximum permitted depth of the internal components is 38 mm.


Mechanical Specifications				
Max. Capacity	LSA -PLUS 1 (10 pair)	LSA-PLUS 1 (20 pair)		
VKK1	10 pair – 1 module	N/A		
VKK 2	N/A	20 pair – 1 module		
VKK 3	N/A	40 pair – 2 modules		

VKK Plastic Distribution Box		
Casing:	Thermoplastic plastic (ABS), shockproof	
Colour:	RAL 7032, pebble grey	
Cable Entry:	Pre-stamped	
Protection:	IP 31 (EN 60529)	

Scope of Delivery

VKK with base plate and cover made from plastic

Mounting material for built-in parts (without modules)



Disclaimer: Max. permittable depth of built-in parts 38 mm

Ordering Information

Designation	Reference Number	Catalogue Number
VKK-1 Distribution Box (size L x W x H: 120 mm x 90 mm x 51 mm)	50-510-11000	DE620004338
VKK-2 Distribution Box (size L x W x H: 200 mm x 90 mm x 51 mm)	50-520-01000	DE620001169
VKK-3 Distribution Box (size L x W x H: 200 mm x 180 mm x 51 mm)	50-540-01000	DE620004346

LSA-PLUS is a trademark of Commscope Technologies LLC and there should be no implication of sponsorship of endorsement of QSA Connection modules by Commscope.

