


LED power supply 12 V DC, on/off switchable
Article no. 17122000



Tender
LED power supply 12 V DC, on/off switchable, silver, Rectangular. Material: Aluminium, Degree of protection: according to DIN EN 60529 IP65, Protection class: (EN 61140) I, Voltage: 12 V DC, Power: 120 W, Dimmable: No, Type of dimming: on/off.

Article data	
Article no.	17 122000
GTIN	4251433922094
Short description	LED power supply 12 V DC, on/off switchable
Material	Aluminium
Colour	silver
Shape	Rectangular
Length	219 mm
Width	63 mm
Hight	36 mm
Weight	0.851 kg
stamp	ENEC
Conformance	CE


LED power supply 12 V DC, on/off switchable

Article no. 17122000

Operating technology of driver	
AC nominal voltage min	200 V
AC nominal voltage max	305 V
Frequency min	47 Hz
Frequency max	63 Hz
DC nominal voltage min	142 V
DC nominal voltage max	431 V
Protection class	I
Degree of protection	IP65
Power	1 W
Power max.	120 W
Output_ripple_current	150
Starting current	65 A, 550 µs
Suitable for emergency lighting	No
measure point (tc)	90 °C
Power factor	0.95
max. no. lights on B16 A	3
max. no. lights on C16 A	6
Output voltage max	13.20 V
Output voltage min.	10.80 V
Control	on/off
Connection type-primary	Cable
Connection type-secondary	Open ends
Number of poles	3
Environment temperature (ta)	-40 °C up to +80 °C
Measure point (tc)	max. +90 °C
Average nominal lifespan	50000 h
Output current	10 mA

Packing data	
Gross weight	0.901 kg
Length of packaging	275 mm
Packaging width	85 mm
Packaging height	45 mm
Disposal at end of life	<p>This product must not be disposed of with household waste. You are obliged, to dispose of such electrical waste separately.</p> <p>By disposing of electrical waste and other old or defective electronics separately, you support recycling or other forms of re-use. In that way you help to take care and to avoid that harmful substances get into the environment.</p>