


**DAMP PROOF IP66**



# DAMP PROOF IP66



## DAMP PROOF VERY WIDE

|                              | EAN           | l x w x h [mm] | W* | VAC     | Hz      | lm*   | lm/W* | K    |
|------------------------------|---------------|----------------|----|---------|---------|-------|-------|------|
| DP 600 P 13W ML 830 VW IP66  | 4099854848537 | 600 x 82 x 68  | 13 | 220-240 | 0/50/60 | 2250  | 173   | 3000 |
| DP 600 P 13W ML 840 VW IP66  | 4099854848636 | 600 x 82 x 68  | 13 | 220-240 | 0/50/60 | 2400  | 185   | 4000 |
| DP 600 P 13W ML 865 VW IP66  | 4099854848735 | 600 x 82 x 68  | 13 | 220-240 | 0/50/60 | 2400  | 185   | 6500 |
| DP 1200 P 26W ML 830 VW IP66 | 4099854849091 | 1200 x 82 x 68 | 26 | 220-240 | 0/50/60 | 4450  | 171   | 3000 |
| DP 1200 P 26W ML 840 VW IP66 | 4099854849152 | 1200 x 82 x 68 | 26 | 220-240 | 0/50/60 | 4600  | 177   | 4000 |
| DP 1200 P 26W ML 865 VW IP66 | 4099854849176 | 1200 x 82 x 68 | 26 | 220-240 | 0/50/60 | 4600  | 177   | 6500 |
| DP 1500 P 36W ML 830 VW IP66 | 4099854849572 | 1500 x 82 x 68 | 36 | 220-240 | 0/50/60 | 6150  | 171   | 3000 |
| DP 1500 P 36W ML 840 VW IP66 | 4099854849596 | 1500 x 82 x 68 | 36 | 220-240 | 0/50/60 | 6400  | 178   | 4000 |
| DP 1500 P 36W ML 865 VW IP66 | 4099854849619 | 1500 x 82 x 68 | 36 | 220-240 | 0/50/60 | 6400  | 178   | 6500 |
| DP 1500 P 61W ML 830 VW IP66 | 4099854849657 | 1500 x 82 x 68 | 61 | 220-240 | 0/50/60 | 10400 | 170   | 3000 |
| DP 1500 P 61W ML 840 VW IP66 | 4099854849688 | 1500 x 82 x 68 | 61 | 220-240 | 0/50/60 | 11000 | 180   | 4000 |
| DP 1500 P 61W ML 865 VW IP66 | 4099854849701 | 1500 x 82 x 68 | 61 | 220-240 | 0/50/60 | 11000 | 180   | 6500 |

## DAMP PROOF EXTRA WIDE

|                              | EAN           | l x w x h [mm] | W* | VAC     | Hz      | lm*  | lm/W* | K    |
|------------------------------|---------------|----------------|----|---------|---------|------|-------|------|
| DP 600 P 13W ML 830 XW IP66  | 4099854856341 | 600 x 82 x 68  | 13 | 220-240 | 0/50/60 | 1920 | 148   | 3000 |
| DP 600 P 13W ML 840 XW IP66  | 4099854856365 | 600 x 82 x 68  | 13 | 220-240 | 0/50/60 | 2050 | 158   | 4000 |
| DP 600 P 13W ML 865 XW IP66  | 4099854856389 | 600 x 82 x 68  | 13 | 220-240 | 0/50/60 | 2050 | 158   | 6500 |
| DP 1200 P 26W ML 830 XW IP66 | 4099854856488 | 1200 x 82 x 68 | 26 | 220-240 | 0/50/60 | 3820 | 147   | 3000 |
| DP 1200 P 26W ML 840 XW IP66 | 4099854856501 | 1200 x 82 x 68 | 26 | 220-240 | 0/50/60 | 3950 | 152   | 4000 |
| DP 1200 P 26W ML 865 XW IP66 | 4099854856525 | 1200 x 82 x 68 | 26 | 220-240 | 0/50/60 | 3950 | 152   | 6500 |
| DP 1500 P 36W ML 830 XW IP66 | 4099854856761 | 1500 x 82 x 68 | 36 | 220-240 | 0/50/60 | 5220 | 145   | 3000 |
| DP 1500 P 36W ML 840 XW IP66 | 4099854856785 | 1500 x 82 x 68 | 36 | 220-240 | 0/50/60 | 5440 | 151   | 4000 |
| DP 1500 P 36W ML 865 XW IP66 | 4099854856808 | 1500 x 82 x 68 | 36 | 220-240 | 0/50/60 | 5440 | 151   | 6500 |
| DP 1500 P 61W ML 830 XW IP66 | 4099854856822 | 1500 x 82 x 68 | 61 | 220-240 | 0/50/60 | 8840 | 145   | 3000 |
| DP 1500 P 61W ML 840 XW IP66 | 4099854856846 | 1500 x 82 x 68 | 61 | 220-240 | 0/50/60 | 9350 | 153   | 4000 |
| DP 1500 P 61W ML 865 XW IP66 | 4099854856860 | 1500 x 82 x 68 | 61 | 220-240 | 0/50/60 | 9350 | 153   | 6500 |

## DAMP PROOF VERY NARROW

|                              | EAN           | l x w x h [mm] | W* | VAC     | Hz      | lm*  | lm/W* | K    |
|------------------------------|---------------|----------------|----|---------|---------|------|-------|------|
| DP 600 P 13W ML 830 VN IP66  | 4099854856402 | 600 x 82 x 68  | 13 | 220-240 | 0/50/60 | 1920 | 148   | 3000 |
| DP 600 P 13W ML 840 VN IP66  | 4099854856426 | 600 x 82 x 68  | 13 | 220-240 | 0/50/60 | 2050 | 158   | 4000 |
| DP 600 P 13W ML 865 VN IP66  | 4099854856440 | 600 x 82 x 68  | 13 | 220-240 | 0/50/60 | 2050 | 158   | 6500 |
| DP 1200 P 26W ML 830 VN IP66 | 4099854856549 | 1200 x 82 x 68 | 26 | 220-240 | 0/50/60 | 3820 | 147   | 3000 |
| DP 1200 P 26W ML 840 VN IP66 | 4099854856563 | 1200 x 82 x 68 | 26 | 220-240 | 0/50/60 | 3950 | 152   | 4000 |
| DP 1200 P 26W ML 865 VN IP66 | 4099854856587 | 1200 x 82 x 68 | 26 | 220-240 | 0/50/60 | 3950 | 152   | 6500 |
| DP 1500 P 36W ML 830 VN IP66 | 4099854856884 | 1500 x 82 x 68 | 36 | 220-240 | 0/50/60 | 5220 | 145   | 3000 |
| DP 1500 P 36W ML 840 VN IP66 | 4099854856907 | 1500 x 82 x 68 | 36 | 220-240 | 0/50/60 | 5440 | 151   | 4000 |
| DP 1500 P 36W ML 865 VN IP66 | 4099854856921 | 1500 x 82 x 68 | 36 | 220-240 | 0/50/60 | 5440 | 151   | 6500 |
| DP 1500 P 61W ML 830 VN IP66 | 4099854856945 | 1500 x 82 x 68 | 61 | 220-240 | 0/50/60 | 8840 | 145   | 3000 |
| DP 1500 P 61W ML 840 VN IP66 | 4099854856969 | 1500 x 82 x 68 | 61 | 220-240 | 0/50/60 | 9350 | 153   | 4000 |
| DP 1500 P 61W ML 865 VN IP66 | 4099854856983 | 1500 x 82 x 68 | 61 | 220-240 | 0/50/60 | 9350 | 153   | 6500 |

# DAMP PROOF IP66



## DAMP PROOF VERY WIDE

|                              | EAN           | IP | IK | ▽    | R <sub>a</sub> | °(°C)     | PF    | 👤      |
|------------------------------|---------------|----|----|------|----------------|-----------|-------|--------|
| DP 600 P 13W ML 830 VW IP66  | 4099854848537 | 66 | 10 | 110° | > 80           | -30...+50 | > 0.9 | 0.9 kg |
| DP 600 P 13W ML 840 VW IP66  | 4099854848636 | 66 | 10 | 110° | > 80           | -30...+50 | > 0.9 | 0.9 kg |
| DP 600 P 13W ML 865 VW IP66  | 4099854848735 | 66 | 10 | 110° | > 80           | -30...+50 | > 0.9 | 0.9 kg |
| DP 1200 P 26W ML 830 VW IP66 | 4099854849091 | 66 | 10 | 110° | > 80           | -30...+50 | > 0.9 | 1.4 kg |
| DP 1200 P 26W ML 840 VW IP66 | 4099854849152 | 66 | 10 | 110° | > 80           | -30...+50 | > 0.9 | 1.4 kg |
| DP 1200 P 26W ML 865 VW IP66 | 4099854849176 | 66 | 10 | 110° | > 80           | -30...+50 | > 0.9 | 1.4 kg |
| DP 1500 P 36W ML 830 VW IP66 | 4099854849572 | 66 | 10 | 110° | > 80           | -30...+50 | > 0.9 | 1.6 kg |
| DP 1500 P 36W ML 840 VW IP66 | 4099854849596 | 66 | 10 | 110° | > 80           | -30...+50 | > 0.9 | 1.6 kg |
| DP 1500 P 36W ML 865 VW IP66 | 4099854849619 | 66 | 10 | 110° | > 80           | -30...+50 | > 0.9 | 1.6 kg |
| DP 1500 P 61W ML 830 VW IP66 | 4099854849657 | 66 | 10 | 110° | > 80           | -30...+50 | > 0.9 | 1.7 kg |
| DP 1500 P 61W ML 840 VW IP66 | 4099854849688 | 66 | 10 | 110° | > 80           | -30...+50 | > 0.9 | 1.7 kg |
| DP 1500 P 61W ML 865 VW IP66 | 4099854849701 | 66 | 10 | 110° | > 80           | -30...+50 | > 0.9 | 1.7 kg |

## DAMP PROOF EXTRA WIDE

|                              | EAN           | IP | IK | ▽         | R <sub>a</sub> | °(°C)     | PF    | 👤      |
|------------------------------|---------------|----|----|-----------|----------------|-----------|-------|--------|
| DP 600 P 13W ML 830 XW IP66  | 4099854856341 | 66 | 10 | 190°x125° | > 80           | -30...+50 | > 0.9 | 1 kg   |
| DP 600 P 13W ML 840 XW IP66  | 4099854856365 | 66 | 10 | 190°x125° | > 80           | -30...+50 | > 0.9 | 1 kg   |
| DP 600 P 13W ML 865 XW IP66  | 4099854856389 | 66 | 10 | 190°x125° | > 80           | -30...+50 | > 0.9 | 1 kg   |
| DP 1200 P 26W ML 830 XW IP66 | 4099854856488 | 66 | 10 | 190°x125° | > 80           | -30...+50 | > 0.9 | 1.7 kg |
| DP 1200 P 26W ML 840 XW IP66 | 4099854856501 | 66 | 10 | 190°x125° | > 80           | -30...+50 | > 0.9 | 1.7 kg |
| DP 1200 P 26W ML 865 XW IP66 | 4099854856525 | 66 | 10 | 190°x125° | > 80           | -30...+50 | > 0.9 | 1.7 kg |
| DP 1500 P 36W ML 830 XW IP66 | 4099854856761 | 66 | 10 | 190°x125° | > 80           | -30...+50 | > 0.9 | 2.1 kg |
| DP 1500 P 36W ML 840 XW IP66 | 4099854856785 | 66 | 10 | 190°x125° | > 80           | -30...+50 | > 0.9 | 2.1 kg |
| DP 1500 P 36W ML 865 XW IP66 | 4099854856808 | 66 | 10 | 190°x125° | > 80           | -30...+50 | > 0.9 | 2.1 kg |
| DP 1500 P 61W ML 830 XW IP66 | 4099854856822 | 66 | 10 | 190°x125° | > 80           | -30...+50 | > 0.9 | 2.1 kg |
| DP 1500 P 61W ML 840 XW IP66 | 4099854856846 | 66 | 10 | 190°x125° | > 80           | -30...+50 | > 0.9 | 2.1 kg |
| DP 1500 P 61W ML 865 XW IP66 | 4099854856860 | 66 | 10 | 190°x125° | > 80           | -30...+50 | > 0.9 | 2.1 kg |

## DAMP PROOF VERY NARROW

|                              | EAN           | IP | IK | ▽        | R <sub>a</sub> | °(°C)     | PF    | 👤      |
|------------------------------|---------------|----|----|----------|----------------|-----------|-------|--------|
| DP 600 P 13W ML 830 VN IP66  | 4099854856402 | 66 | 10 | 80°x100° | > 80           | -30...+50 | > 0.9 | 1 kg   |
| DP 600 P 13W ML 840 VN IP66  | 4099854856426 | 66 | 10 | 80°x100° | > 80           | -30...+50 | > 0.9 | 1 kg   |
| DP 600 P 13W ML 865 VN IP66  | 4099854856440 | 66 | 10 | 80°x100° | > 80           | -30...+50 | > 0.9 | 1 kg   |
| DP 1200 P 26W ML 830 VN IP66 | 4099854856549 | 66 | 10 | 80°x100° | > 80           | -30...+50 | > 0.9 | 1.7 kg |
| DP 1200 P 26W ML 840 VN IP66 | 4099854856563 | 66 | 10 | 80°x100° | > 80           | -30...+50 | > 0.9 | 1.7 kg |
| DP 1200 P 26W ML 865 VN IP66 | 4099854856587 | 66 | 10 | 80°x100° | > 80           | -30...+50 | > 0.9 | 1.7 kg |
| DP 1500 P 36W ML 830 VN IP66 | 4099854856884 | 66 | 10 | 80°x100° | > 80           | -30...+50 | > 0.9 | 2 kg   |
| DP 1500 P 36W ML 840 VN IP66 | 4099854856907 | 66 | 10 | 80°x100° | > 80           | -30...+50 | > 0.9 | 2 kg   |
| DP 1500 P 36W ML 865 VN IP66 | 4099854856921 | 66 | 10 | 80°x100° | > 80           | -30...+50 | > 0.9 | 2 kg   |
| DP 1500 P 61W ML 830 VN IP66 | 4099854856945 | 66 | 10 | 80°x100° | > 80           | -30...+50 | > 0.9 | 2 kg   |
| DP 1500 P 61W ML 840 VN IP66 | 4099854856969 | 66 | 10 | 80°x100° | > 80           | -30...+50 | > 0.9 | 2 kg   |
| DP 1500 P 61W ML 865 VN IP66 | 4099854856983 | 66 | 10 | 80°x100° | > 80           | -30...+50 | > 0.9 | 2 kg   |

# DAMP PROOF IP66



2x

2x

1x

2x


1x

2x

For IK10

|         |        |
|---------|--------|
| DP 600  | 8 pcs  |
| DP 1200 | 12 pcs |
| DP 1500 | 14 pcs |

2x



1

OFF

2

| [mm]    | X    | Y        |
|---------|------|----------|
| DP 600  | 19±2 | 270±120  |
| DP 1200 | 19±2 | 775±220  |
| DP 1500 | 19±2 | 1075±220 |

3a

2x





3b

2x






4

2x





# DAMP PROOF IP66



# DAMP PROOF IP66



# DAMP PROOF IP66



# DAMP PROOF IP66



\*

| <div>230V</div> <div></div> <div>LED</div> |                                                                                        |                                                                                        |    |       |      |                           |                     |
|-----------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------|----|-------|------|---------------------------|---------------------|
| VERY WIDE                                                                                                                   | PIN1  | PIN2  | W  | Im    | Im/W | Input current driver [mA] | Output current [mA] |
| DP 600 P 13W ML 830 VW IP66                                                                                                 | ON                                                                                     | ON                                                                                     | 13 | 2250  | 173  | 63                        | 55                  |
|                                                                                                                             | ON                                                                                     | OFF                                                                                    | 11 | 1850  | 168  | 54                        | 48                  |
|                                                                                                                             | OFF                                                                                    | ON                                                                                     | 9  | 1520  | 169  | 44                        | 40                  |
|                                                                                                                             | OFF                                                                                    | OFF                                                                                    | 7  | 1170  | 167  | 34                        | 30                  |
| DP 600 P 13W ML 840 VW IP66<br>DP 600 P 13W ML 865 VW IP66                                                                  | ON                                                                                     | ON                                                                                     | 13 | 2400  | 185  | 63                        | 55                  |
|                                                                                                                             | ON                                                                                     | OFF                                                                                    | 11 | 2020  | 184  | 54                        | 48                  |
|                                                                                                                             | OFF                                                                                    | ON                                                                                     | 9  | 1660  | 184  | 44                        | 40                  |
|                                                                                                                             | OFF                                                                                    | OFF                                                                                    | 7  | 1280  | 183  | 34                        | 30                  |
| DP 1200 P 26W ML 830 VW IP66                                                                                                | ON                                                                                     | ON                                                                                     | 26 | 4450  | 171  | 115                       | 140                 |
|                                                                                                                             | ON                                                                                     | OFF                                                                                    | 22 | 3850  | 175  | 103                       | 120                 |
|                                                                                                                             | OFF                                                                                    | ON                                                                                     | 17 | 2900  | 171  | 78                        | 90                  |
|                                                                                                                             | OFF                                                                                    | OFF                                                                                    | 14 | 2370  | 169  | 65                        | 75                  |
| DP 1200 P 26W ML 840 VW IP66<br>DP 1200 P 26W ML 865 VW IP66                                                                | ON                                                                                     | ON                                                                                     | 26 | 4600  | 177  | 115                       | 140                 |
|                                                                                                                             | ON                                                                                     | OFF                                                                                    | 22 | 4050  | 184  | 103                       | 120                 |
|                                                                                                                             | OFF                                                                                    | ON                                                                                     | 17 | 3060  | 180  | 78                        | 90                  |
|                                                                                                                             | OFF                                                                                    | OFF                                                                                    | 14 | 2580  | 184  | 65                        | 75                  |
| DP 1500 P 36W ML 830 VW IP66                                                                                                | ON                                                                                     | ON                                                                                     | 36 | 6150  | 171  | 175                       | 155                 |
|                                                                                                                             | ON                                                                                     | OFF                                                                                    | 31 | 5150  | 166  | 140                       | 130                 |
|                                                                                                                             | OFF                                                                                    | ON                                                                                     | 25 | 4150  | 166  | 115                       | 110                 |
|                                                                                                                             | OFF                                                                                    | OFF                                                                                    | 20 | 3450  | 173  | 90                        | 85                  |
| DP 1500 P 36W ML 840 VW IP66<br>DP 1500 P 36W ML 865 VW IP66                                                                | ON                                                                                     | ON                                                                                     | 36 | 6400  | 178  | 175                       | 155                 |
|                                                                                                                             | ON                                                                                     | OFF                                                                                    | 31 | 5500  | 177  | 140                       | 130                 |
|                                                                                                                             | OFF                                                                                    | ON                                                                                     | 25 | 4500  | 180  | 115                       | 110                 |
|                                                                                                                             | OFF                                                                                    | OFF                                                                                    | 20 | 3550  | 178  | 90                        | 85                  |
| DP 1500 P 61W ML 830 VW IP66                                                                                                | ON                                                                                     | ON                                                                                     | 61 | 10400 | 170  | 290                       | 205                 |
|                                                                                                                             | ON                                                                                     | OFF                                                                                    | 55 | 9150  | 166  | 265                       | 190                 |
|                                                                                                                             | OFF                                                                                    | ON                                                                                     | 50 | 8350  | 167  | 240                       | 170                 |
|                                                                                                                             | OFF                                                                                    | OFF                                                                                    | 44 | 7460  | 170  | 215                       | 150                 |
| DP 1500 P 61W ML 840 VW IP66<br>DP 1500 P 61W ML 865 VW IP66                                                                | ON                                                                                     | ON                                                                                     | 61 | 11000 | 180  | 290                       | 205                 |
|                                                                                                                             | ON                                                                                     | OFF                                                                                    | 55 | 9900  | 180  | 265                       | 190                 |
|                                                                                                                             | OFF                                                                                    | ON                                                                                     | 50 | 9000  | 180  | 240                       | 170                 |
|                                                                                                                             | OFF                                                                                    | OFF                                                                                    | 44 | 8000  | 182  | 215                       | 150                 |




# DAMP PROOF IP66



\*

| <div><div>230V</div><div></div><div>LED</div></div> |                                                                                        |                                                                                        |    |      |      |                           |                     |
|--------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------|----|------|------|---------------------------|---------------------|
| EXTRA WIDE / VERY NARROW                                                                                                             | PIN1  | PIN2  | W  | lm   | lm/W | Input current driver [mA] | Output current [mA] |
| DP 600 P 13W ML 830 XW IP66<br>DP 600 P 13W ML 830 VN IP66                                                                           | ON                                                                                     | ON                                                                                     | 13 | 1920 | 148  | 63                        | 55                  |
|                                                                                                                                      | ON                                                                                     | OFF                                                                                    | 11 | 1570 | 143  | 54                        | 48                  |
|                                                                                                                                      | OFF                                                                                    | ON                                                                                     | 9  | 1290 | 143  | 44                        | 40                  |
|                                                                                                                                      | OFF                                                                                    | OFF                                                                                    | 7  | 990  | 141  | 34                        | 30                  |
| DP 600 P 13W ML 840 XW IP66<br>DP 600 P 13W ML 840 VN IP66<br>DP 600 P 13W ML 865 XW IP66<br>DP 600 P 13W ML 865 VN IP66             | ON                                                                                     | ON                                                                                     | 13 | 2050 | 158  | 63                        | 55                  |
|                                                                                                                                      | ON                                                                                     | OFF                                                                                    | 11 | 1720 | 156  | 54                        | 48                  |
|                                                                                                                                      | OFF                                                                                    | ON                                                                                     | 9  | 1410 | 157  | 44                        | 40                  |
|                                                                                                                                      | OFF                                                                                    | OFF                                                                                    | 7  | 1090 | 156  | 34                        | 30                  |
| DP 1200 P 26W ML 830 XW IP66<br>DP 1200 P 26W ML 830 VN IP66                                                                         | ON                                                                                     | ON                                                                                     | 26 | 3820 | 147  | 115                       | 140                 |
|                                                                                                                                      | ON                                                                                     | OFF                                                                                    | 22 | 3300 | 150  | 103                       | 120                 |
|                                                                                                                                      | OFF                                                                                    | ON                                                                                     | 17 | 2490 | 146  | 78                        | 90                  |
|                                                                                                                                      | OFF                                                                                    | OFF                                                                                    | 14 | 2030 | 145  | 65                        | 75                  |
| DP 1200 P 26W ML 840 XW IP66<br>DP 1200 P 26W ML 840 VN IP66<br>DP 1200 P 26W ML 865 XW IP66<br>DP 1200 P 26W ML 865 VN IP66         | ON                                                                                     | ON                                                                                     | 26 | 3950 | 152  | 115                       | 140                 |
|                                                                                                                                      | ON                                                                                     | OFF                                                                                    | 22 | 3470 | 158  | 103                       | 120                 |
|                                                                                                                                      | OFF                                                                                    | ON                                                                                     | 17 | 2620 | 154  | 78                        | 90                  |
|                                                                                                                                      | OFF                                                                                    | OFF                                                                                    | 14 | 2210 | 158  | 65                        | 75                  |
| DP 1500 P 36W ML 830 XW IP66<br>DP 1500 P 36W ML 830 VN IP66                                                                         | ON                                                                                     | ON                                                                                     | 36 | 5220 | 145  | 175                       | 155                 |
|                                                                                                                                      | ON                                                                                     | OFF                                                                                    | 31 | 4370 | 141  | 140                       | 130                 |
|                                                                                                                                      | OFF                                                                                    | ON                                                                                     | 25 | 3520 | 141  | 115                       | 110                 |
|                                                                                                                                      | OFF                                                                                    | OFF                                                                                    | 20 | 2930 | 147  | 90                        | 85                  |
| DP 1500 P 36W ML 840 XW IP66<br>DP 1500 P 36W ML 840 VN IP66<br>DP 1500 P 36W ML 865 XW IP66<br>DP 1500 P 36W ML 865 VN IP66         | ON                                                                                     | ON                                                                                     | 36 | 5440 | 151  | 175                       | 155                 |
|                                                                                                                                      | ON                                                                                     | OFF                                                                                    | 31 | 4670 | 151  | 140                       | 130                 |
|                                                                                                                                      | OFF                                                                                    | ON                                                                                     | 25 | 3820 | 153  | 115                       | 110                 |
|                                                                                                                                      | OFF                                                                                    | OFF                                                                                    | 20 | 3010 | 151  | 90                        | 85                  |
| DP 1500 P 61W ML 830 XW IP66<br>DP 1500 P 61W ML 830 VN IP66                                                                         | ON                                                                                     | ON                                                                                     | 61 | 8840 | 145  | 290                       | 205                 |
|                                                                                                                                      | ON                                                                                     | OFF                                                                                    | 55 | 7770 | 141  | 265                       | 190                 |
|                                                                                                                                      | OFF                                                                                    | ON                                                                                     | 50 | 7090 | 142  | 240                       | 170                 |
|                                                                                                                                      | OFF                                                                                    | OFF                                                                                    | 44 | 6340 | 144  | 215                       | 150                 |
| DP 1500 P 61W ML 840 XW IP66<br>DP 1500 P 61W ML 840 VN IP66<br>DP 1500 P 61W ML 865 XW IP66<br>DP 1500 P 61W ML 865 VN IP66         | ON                                                                                     | ON                                                                                     | 61 | 9350 | 153  | 290                       | 205                 |
|                                                                                                                                      | ON                                                                                     | OFF                                                                                    | 55 | 8410 | 153  | 265                       | 190                 |
|                                                                                                                                      | OFF                                                                                    | ON                                                                                     | 50 | 7650 | 153  | 240                       | 170                 |
|                                                                                                                                      | OFF                                                                                    | OFF                                                                                    | 44 | 6800 | 155  | 215                       | 150                 |

| n             | B16 | C10 | C16 |
|---------------|-----|-----|-----|
| DP 600 P 13W  | 53  | 42  | 68  |
| DP 1200 P 26W | 42  | 35  | 56  |
| DP 1500 P 36W | 31  | 26  | 42  |
| DP 1500 P 61W | 21  | 17  | 28  |



LEDVANCE SASU  
CQM, 5 rue d'Altorf  
67120 Molsheim France  
[www.ledvance.com](http://www.ledvance.com)

© LEDVANCE Ltd, Sterling House,  
810 Mandarin Court, Warrington,  
Cheshire, WA1 1GG, United Kingdom

C10449059  
G11288926  
26.06.26