






**MAXI LED track spotlight**  
Article no. 88397184



| Tender                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |  |
|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--|
| LED track spotlight, Round.Luminaire diameter 85.0 mm, Hight 235.0 mm Weight 1.27 kg, with rotattionssymmetrical, deep, wide distribut-<br>ed light intensity.Luminous flux 4.050 lm, Power 1 x 31,5 W, Light colour neutral white, Correlated color temperature (CCT) 4.000 K, Colour<br>rendering index CRI > 90, Housing material: Aluminium, Colour: black structure, Permissible ambient temperature (ta): -20 °C up to +25<br>°C, Protection class (EN 61140): I, Degree of protection (DIN EN 60529): IP20. With electronic driver, on/off switchable. |  |

| Article data      |                                |
|-------------------|--------------------------------|
| Article no.       | 88397184                       |
| GTIN              | 4251433942771                  |
| Series name       | MAXI                           |
| Short description | LED track spotlight            |
| Material          | Aluminium                      |
| Colour            | black structure                |
| Type of surface   | Structure                      |
| Shape             | Round                          |
| Outer diameter    | 85 mm                          |
| Hight             | 235 mm                         |
| Scope of delivery | incl. control gear, switchable |
| Weight            | 1.27 kg                        |
| D licence plate   | No                             |
| Conformance       | CE, UKCA                       |


**MAXI LED track spotlight**

Article no. 88397184

| Lighting technology          |            |
|------------------------------|------------|
| Colour temperature           | 4.000 K    |
| Light colour                 | white      |
| Light output                 | Direct     |
| Luminous flux                | 4,050 lm   |
| System efficiency            | 129 lm/W   |
| Colour rendering             | CRI > 90   |
| Reflector                    | High-gloss |
| Beam angle                   | 30°        |
| Light sharing                | Symmetric  |
| Adjustable color temperature | No         |

| Operating technology of the luminaire |                                                                                                                                                          |
|---------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------|
| System output                         | 31.5 W                                                                                                                                                   |
| Voltage type                          | AC                                                                                                                                                       |
| AC nominal voltage max                | 230 V                                                                                                                                                    |
| Frequency max                         | 50 Hz                                                                                                                                                    |
| Lamp                                  | LED                                                                                                                                                      |
| Lamp holder                           | Without fitting                                                                                                                                          |
| Protection class                      | I                                                                                                                                                        |
| Degree of protection                  | IP20                                                                                                                                                     |
| Dimmable                              | No                                                                                                                                                       |
| Control                               | on/off                                                                                                                                                   |
| Bulb change possible                  | The light source of this luminaire may only be replaced by the manufacturer or a service technician commissioned by him or a similarly qualified person. |
| Energy efficiency class               | not required                                                                                                                                             |

| Mounting technology         |                               |
|-----------------------------|-------------------------------|
| Mounting method             | Surface mounting              |
| Place of installation       | Ceiling-mounted               |
| Adjustability               | Rotatable and adjustable head |
| Swivel angle                | 180°                          |
| Rotation angle              | 355°                          |
| Head adjustable angle       | 90°                           |
| Suitable for through-wiring | No                            |

| Packing data            |                                                                                                                                                                                                                                                                                                                                                                                |
|-------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Gross weight            | 1.416 kg                                                                                                                                                                                                                                                                                                                                                                       |
| Length of packaging     | 300 mm                                                                                                                                                                                                                                                                                                                                                                         |
| Packaging width         | 110 mm                                                                                                                                                                                                                                                                                                                                                                         |
| Packaging height        | 175 mm                                                                                                                                                                                                                                                                                                                                                                         |
| Disposal at end of life | <p>This product must not be disposed of with household waste. You are obliged, to dispose of such electrical waste separately.</p> <p>By disposing of electrical waste and other old or defective electronics separately, you support recycling or other forms of re-use. In that way you help to take care and to avoid that harmful substances get into the environment.</p> |



**MAXI LED track spotlight**  
Article no. 88397184

| Optional accessories                                    |                                                                                                                                                                       |
|---------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Article no.: 81397180<br>Glare protection for spot MAXI | <a href="https://www.brumberg.com/fileadmin/products/Datenblatt_81397180_2021_DE.pdf">https://www.brumberg.com/fileadmin/products/Datenblatt_81397180_2021_DE.pdf</a> |
| Article no.: 81397181<br>Schade for spot MAXI           | <a href="https://www.brumberg.com/fileadmin/products/Datenblatt_81397181_2021_DE.pdf">https://www.brumberg.com/fileadmin/products/Datenblatt_81397181_2021_DE.pdf</a> |
| Article no.: 81397182<br>Honeycomb grid for spot MAXI   | <a href="https://www.brumberg.com/fileadmin/products/Datenblatt_81397182_2021_DE.pdf">https://www.brumberg.com/fileadmin/products/Datenblatt_81397182_2021_DE.pdf</a> |