



## Stromversorgungskabel


C14, C13, 2.0 m

Art.-Nr.	Kabelaufbau	Länge
ELM207004020	H05VV-F 3G 0.75 qmm	2.0 m


- Kaltgerätestecker IEC60320/C14 auf Kaltgerätebuchse IEC60320/C13
- 10A/250V VDE-geprüft
- International genormte Steckverbinder
- Farbe schwarz





RoHS  
compliant



PLUG:106



CONNECTOR: 107



MARKING:

H05W-F 3G 0.75mm<sup>2</sup> (FI) (D) (N) (S) (OVE) KEMA-KEUR CE BEC IEMMEQU <VDE> (+S)  
 N17857 G TSA-3 3G 0.75mm<sup>2</sup>

P1.P2: (FI) (D) (N) (S) (OVE) (VDE) KEMA-KEUR CE BEC (M) (+S)

\*NOTE: All relevant materials are complied with RoHS directive.

	P1		P2
	BROWN	L	L BROWN
	BLUE	N	N BLUE
	GREEN/YELLOW	E	E GREEN/YELLOW

RoHS compliant


Created BT	Date 08.04.10	<b>ECOLAN Power extension cable, IEC C14, IEC C13, 2.0m</b> ITEM NO: ELM207004020	
Last rev. BT	Date 08.04.10		


## Specification

NO.	DESCRIPTION	Q'TY	SUPPLIER
1	Terminal: 2*4mm SH603-1	3	M256
	Bracket: 2*4mm 8671	1	M257
	Moulded PVC, Black, 45P		M304
2	Terminal: 2*4mm SH408-2	3	M256
	Bracket: YM-B6-1	1	M099
	Moulded PVC 45P, Colour: Black		M304
3	H05W-F 3G 0.75mm <sup>2</sup> , GTSA-3, OD:6.8mm, Jacket: Black, Drawing No.EPH5VD107503C-004	L-30mm	M304

ITEM NO.	LENGTH	EAN CODE	Neutral Bag with ECOLAN Sticker
ELM207004020	200±10mm	4049759001902	x

## Label



Created BT	Date 08.04.10	<b>ECOLAN Power extension cable, IEC C14, IECC13, 2m</b>	
Last rev. BT	Date 08.04.10		
ITEM NO: ELM207004020			