Product Information Sheet

COMMISSION DELEGATED REGULATION (EU) 2019/2015 with regard to energy labelling of light sources

Supplier's name or trade n	nark: Schiefer
----------------------------	----------------

Supplier's address: Schiefer Lighting, Potterbakkerstraat 35, 4871EP Etten-Leur, NL

Model identifier: 644523800

Product parameters				
Anti-glare shield:	No	Dimmable:	Yes	
High luminance light source:	No			
Colour-tuneable light source:	No	Envelope:	-	
Mains or non-mains:	NMLS	Connected light source (CLS):	No	
Light source cap-type (or other electric interface)	010.33			
0 0	GY6.35	directional:		
Lighting technology used:	HL	Non-directional or	NDLS	

Froduct parameters						
Parameter		Value	Parameter	Value		
General product parameters:						
Energy consummode (kWh/100 up to the neares	00 h), rounded	35	Energy efficiency class	G		
Useful luminous dicating if it refe a sphere (360°), (120°) or in a na	ers to the flux in , in a wide cone	550 in Sphere (360°)	Correlated colour temperature, rounded to the nearest 100 K, or the range of correlated colour temperatures, rounded to the nearest 100 K, that can be set	2 800		
On-mode pow pressed in W	ver (P _{on}), ex-	35,0	Standby power (P _{sb}), expressed in W and rounded to the sec- ond decimal	0,00		
Networked st (P _{net}) for CLS, e and rounded to imal	•	-	Colour rendering in- dex, rounded to the nearest integer, or the range of CRI-val- ues that can be set	100		
Outer dimen-	Height	44	Spectral power dis-	See image		
sions without	Width	11	tribution in the	in last page		
separate con- trol gear, light- ing control	Depth	11	range 250 nm to 800 nm, at full-load			

parts and non- lighting con- trol parts, if any (millime- tre)			
Claim of equivalent power ^(a)	-	If yes, equivalent power (W)	-
		Chromaticity coordinates (x and y)	0,440 0,403

(a)'-': not applicable; (b)'-': not applicable;

